SDS – 1353-4A Page 1 of 7



Safety Data Sheet

Section 1 – Chemical Product and Company Identification

1.1 Product identifier:

Product Name: GSP 1353-4 Part A

Product Code: 1353-4A Effective Date: 10/26/2015

Revision Date: -

1.2 Recommended use and restrictions on use:

Product Use: Epoxy Resin Restrictions: Not Available

1.3 Name, address, and telephone number of the chemical manufacturer:

GS Polymers, Inc. 3687-B Grapevine Street Mira Loma, CA 91752 (951) 360-0607

1.4 Emergency telephone number:

24 Hr. Emergency CHEMTREC # 1-800-424-9300

Section 2 - Hazards Identification

2.1 Classification according to 29 CFR §1910.1200 (d):

Classification: Skin Irritation Category 2

Eye Irritation Category 2A Skin Sensitization Category 1

Specific Target Organ Toxicity - Single Exposure Category 3 (Respiratory Tract)

2.2 Label elements according to 29 CFR §1910.1200 (f):

Hazard Symbols:



Signal Words: Warning

Hazard Statements: Causes skin irritation.

Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation.

Precautionary Statements:

Prevention: Wear protective gloves.

SDS – 1353-4A Page 2 of 7

Wear eye protection/face protection.

Use only outdoors or in a well-ventilated area.

Avoid breathing mist, vapors or spray. Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER or physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing.

Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

Storage: Store locked up.

Disposal: Dispose of contents in accordance with all local, regional, national and international

regulations.

2.3 Hazards not otherwise classified in the classification process:

None known

2.4 Ingredients (Present at $\geq 1\%$) of unknown toxicity:

None

Section 3 – Composition/Information on Ingredients

3.1.1 Hazardous ingredients(s)

Chemical Name	CAS NO.	% (by wt.)
Epoxy Resin (Diglycidyl Ether of Bis-Phenol A)	25068-38-6	100 %

3.1.2 Non-hazardous ingredient(s)

Remaining components are non-hazardous and/or present at amounts below reportable limits.

3.2 Trade secrets (if applicable):

* Designates a specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eyes: Immediately flush eyes for at least 15 minutes with running water. Hold eyelids apart to

ensure rinsing of entire eye surface and lids with water. Remove contact lenses, if present and

easy to do. If eye irritation persists, get medical advice/attention.

Skin: Remove contaminated clothing. Wipe off excess material from exposed area. Flush exposed

area with water. Wash area with soap and water. Continue to rinse for at least 10 minutes. If skin irritation or rash occurs, get medical attention. Do not reuse clothing until clean. Contaminated leather articles including shoes cannot be cleaned and should be discarded.

SDS – 1353-4A Page 3 of 7

Inhalation: Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if victim feels unwell. If victim is unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar,

tie belt or waistband.

Ingestion: Wash mouth out with water. If victim is conscious, give small quantities of water to drink.

Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, keep victim's head low so that vomit does not enter the lungs. Call Poison Center or get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed:

No data available

4.3 Indication of any immediate medical attention and special treatment needed:

No data available

Section 5 – Fire-Fighting Measures

5.1 Suitable extinguishing media:

Use dry chemical, CO₂, water spray (fog) or foam.

5.2 Specific hazards arising from the product:

If heated, a pressure increase will occur and the container may burst.

5.3 Special protective equipment and precautions for fire-fighters:

Use standard fire-fighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. Containers exposed to intense heat from fires should be cooled with water to prevent vapor pressure buildup which could result in container rupture.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

No action should be taken involving any personal risk or by personnel without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.2 Methods and materials for containment and cleaning up:

Small spill: Stop leak if it is possible to do without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of waste with a licensed waste disposal contractor. **Large spill:** Stop leak if it is possible to do without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

SDS – 1353-4A Page 4 of 7

Section 7 – Handling and Storage

7.1 Precautions for safe handling:

Put on appropriate personal protective equipment (see section 8 of SDS). Individuals with a history of skin sensitization should not be employed in any process in which this product is used. Do not get in eyes, on skin or on clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material. Keep container tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8 – Exposure Controls/Personal Protection

8.1 Exposure Limits:

Chemical Name	CAS NO.	OSHA (ACGIH) TLV
Epoxy Resin (Diglycidyl Ether of Bis-Phenol A)	25068-38-6	Not Established

8.2 Engineering Controls:

Ventilation: Good general mechanical ventilation and local exhaust.

8.3 Personal Protective Equipment:

Eye Protection: Wear splash resistant safety goggles.

Skin Protection: Wear impervious gloves and other clothing to prevent contact.

Respirators: Organic vapor respirator if adequate ventilation is not present. (National Institute for

Occupational Safety and Health (NIOSH) approved for organic vapors

recommended.)

Hygienic Practices: Wash hands before eating, smoking or using toilet facilities. Do not smoke in any

chemical handling and storage areas. Food or beverages should not be consumed near where this product is stored. Remove and wash contaminated clothing before reuse. Ensure that eyewash stations and safety showers are close to the workstation

location.

Section 9 – Physical and Chemical Properties

Appearance	Liquid
Color	
Odor	Slight, Ether-like
Odor Threshold	
pH	Not Established
Melting Point/Freezing Point	Not Established
Boiling Point	Not Established
Flash Point	>200°F (>93.33°C)

SDS - 1353-4A Page 5 of 7

Evaporation Rate	Not Established
Upper/Lower flammability or explosive limits	Not Established
Vapor Pressure	Not Established
Vapor Density	Not Established
Relative Density	
Specific Gravity	1.17
Bulk Density (lbs./gal)	9.73
Solubility	Slightly Soluble
Partition Coefficient; n-octanol/water	Not Established
Auto-ignition temperature	Not Established
Viscosity	Not Established

Note: Physical data presented above are typical values and should not be construed as a specification.

Section 10 - Stability and Reactivity

10.1 Reactivity: Stable under normal conditions.

10.2 Chemical Stability: Product is stable.

10.3 Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous reactions

will not occur.

10.4 Conditions to Avoid: Extremes of temperature and direct sunlight.

Reactive or incompatible with the following materials: aliphatic **10.5** Incompatible Materials:

amines, strong oxidizing agents, strong acids.

10.6 Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

10.7 Other Hazards: Reacts with considerable heat release with some curing agents.

Section 11 – Toxicological Information

11.1 Information on the likely routes of exposure:

Not Available

11.2 Symptoms related to the physical, chemical and toxicological characteristics:

Eye Contact: Pain or irritation, watering, redness **Inhalation:** Respiratory tract irritation, coughing

Skin Contact: Irritation, redness **Ingestion:** No specific data

11.3 Delayed and immediate effects and also chronic effects from short and long term exposure:

Short term exposure:

Eye Contact: Causes serious eye irritation. **Inhalation:** May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Irritating to mouth, throat and stomach. SDS – 1353-4A Page 6 of 7

Long term exposure: Not Available **Chronic effects:** Not Available

11.4 Numerical Measure of toxicity (Acute toxicity estimates)

Acute Toxicity Data:

Epoxy Resin (Diglycidyl Ether of Bis-Phenol A) LD50 Oral Rat 11,400 mg/kg LD50 Dermal Rat 2,000 mg/kg

11.5 Carcinogenicity:

Not Available

Section 12 – Ecological Information

12.1 Ecotoxicity: Not Available

12.2 Persistence and Degradability: Not Available

12.3 Bioaccumulative Potential: Not Available

12.4 Mobility in Soil: Not Available

12.5 Other Adverse Effects: Not Available

Section 13 – Disposal Considerations

13.1 Information on waste and methods of disposal

Dispose of contents in accordance with all local, regional, national and international regulations.

Section 14 – Transportation Information

14.1 Transportation information

Land Transportation (DOT):

Sea Transportation (IMDG):

Air Transportation (IATA):

Not Regulated in Non-Bulk Containers

Not Regulated in Non-Bulk Containers

14.2 Transportation in bulk according to Annex II of Marpol 73/78 and the IBC Code:

This product is not intended to be transported in bulk containers.

14.3 Special precautions for transportation:

No data available

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations specific for the product in question.

This regulatory information is not intended to be comprehensive. Other regulations may apply to this material. To determine applicability or effects of any law or regulation with respect to the product, user should seek legal advice or consult with the appropriate government agency. GS Polymers, Inc. does not undertake to furnish advice on regulatory matters.

SDS – 1353-4A Page 7 of 7

United States Federal Regulations:

US EPA CERCLA Hazardous Substances (40 CFR 302):

Not Evaluated

SARA Section 311/312 Hazard Categories:

Not Evaluated

US EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A):

Not Evaluated

US EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III

Section 313 Toxic Chemicals (40 CRF 372.65) – Supplier Notification Required:

None above de minimis concentration

State Right-To-Know Information:

For details of your regulatory requirements you should contact the appropriate agency in your state.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:

Not Evaluated

California Prop. 65: This product contains the chemicals listed below, which the State of California has found to cause cancer, birth defects or reproductive harm.

Oxirane, 2-(phenoxymethyl)- < 1% (cancer)

Section 16 – Other Information

16.1 Date of preparation or last revision:

Company: GS Polymers, Inc.

Rev Date: 10/26/2015

Rev By: BN

Reason for Change:

This revision updates SDS formatting according to OSHA Hazard Communications Standard (HCS) promulgated on March 20, 2012.

16.2 Additional information:

HMIS Ratings:

Health: 2*
Flammability: 1
Physical Hazard: 0

The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication as part of GS Polymers' product safety program. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.

To determine applicability or effects of any law or regulation with respect to the product, user should seek legal advice or consult with the appropriate government agency. GS Polymers, Inc. does not undertake to furnish advice on such matters.

SDS – 1353-4B Page 1 of 8



Safety Data Sheet

Section 1 – Chemical Product and Company Identification

1.1 Product identifier:

Product Name: GSP 1353-4 Part B

Product Code: 1353-4B Effective Date: 10/25/2015

Revision Date:

1.2 Recommended use and restrictions on use:

Product Use: Epoxy curative

Restrictions:

1.3 Name, address, and telephone number of the chemical manufacturer:

GS Polymers, Inc. 3687-B Grapevine Street Mira Loma, CA 91752 (951) 360-0607

1.4 Emergency telephone number:

24 Hr. Emergency CHEMTREC # 1-800-424-9300

Section 2 - Hazards Identification

2.1 Classification according to 29 CFR §1910.1200 (d):

Classification: Skin corrosion/irritation - Category 1B

Eye damage/irritation - Category 1

2.2 Label elements according to 29 CFR §1910.1200 (f):

Hazard Symbols:



Signal Words: Danger

Hazard Statements: Causes severe skin burns and eye damage.

Precautionary Statements:

Prevention: Do not breathe dusts or mists.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash exposed areas thoroughly after handling.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting.

SDS – 1353-4B Page 2 of 8

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center or doctor.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local, regional, national and

international regulations.

2.3 Hazards not otherwise classified in the classification process:

None known

2.4 Ingredients (Present at $\geq 1\%$) of unknown toxicity:

None

Section 3 – Composition/Information on Ingredients

3.1.1 Hazardous ingredients(s)

Chemical Name	CAS NO.	% (by wt.)
2,4,6-Tris(dimethylaminomethyl)phenol	90-72-2	*
Bis[(dimethylamino)methyl]phenol	71074-89-0	*

3.1.2 Non-hazardous ingredient(s)

Chemical Name	CAS NO.	% (by wt.)
Mercaptan-terminated polymer	*	-

Remaining components are non-hazardous and/or present at amounts below reportable limits.

3.2 Trade secrets (if applicable):

* Designates a specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eyes: Immediately flush eyes for at least 15 minutes with running water. Hold eyelids apart to

ensure rinsing of entire eye surface and lids with water. Remove contact lenses, if present and

easy to do. If eye irritation persists, get medical advice/attention.

Skin: Remove contaminated clothing. Wipe off excess material from exposed area. Flush exposed

area with water. Wash area with soap and water. Continue to rinse for at least 15 minutes. If skin irritation or rash occurs, get medical attention. Do not reuse clothing until clean. Contaminated leather articles including shoes cannot be cleaned and should be discarded.

Inhalation: Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if victim feels unwell. If victim is unconscious, place in recovery position and get

SDS – 1353-4B Page 3 of 8

medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie belt or waistband.

Ingestion: Wash mouth out with water. If victim is conscious, give small quantities of water to drink.

Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, keep victim's head low so that vomit does not enter the lungs. Call Poison Center or get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed:

No data available

4.3 Indication of any immediate medical attention and special treatment needed:

No data available

Section 5 – Fire-Fighting Measures

5.1 Suitable extinguishing media:

Use dry chemical, CO₂, water spray (fog) or foam.

5.2 Specific hazards arising from the product:

If heated, a pressure increase will occur and the container may burst. During fire, gases hazardous to health may be formed. Carbon dioxide, carbon monoxide, hydrogen sulfide, sulfur dioxide, sulfur trioxide.

5.3 Special protective equipment and precautions for fire-fighters:

Use standard fire-fighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. Containers exposed to intense heat from fires should be cooled with water to prevent vapor pressure buildup which could result in container rupture.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

No action should be taken involving any personal risk or by personnel without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.2 Methods and materials for containment and cleaning up:

Small spill: Stop leak if it is possible to do without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of waste with a licensed waste disposal contractor. **Large spill:** Stop leak if it is possible to do without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Section 7 – Handling and Storage

7.1 Precautions for safe handling:

Put on appropriate personal protective equipment (see section 8 of SDS). Individuals with a history of skin sensitization should not be employed in any process in which this product is used. Do not get in eyes, on skin or on clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear

SDS – 1353-4B Page 4 of 8

appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material. Keep container tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8 – Exposure Controls/Personal Protection

8.1 Exposure Limits:

Not Available.

8.2 Engineering Controls:

Ventilation: Good general mechanical ventilation and local exhaust to control worker exposure to

airborne contaminants.

8.3 Personal Protective Equipment:

Eye Protection: Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless

the assessment indicates a higher degree of protection: safety glasses with

sideshields.

Skin Protection: Chemical-resistant, impervious gloves complying with an approved standard should

be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

Respirators: Organic vapor respirator if adequate ventilation is not present. (National Institute for

Occupational Safety and Health (NIOSH) approved for organic vapors recommended.) Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the

hazards of the product and the safe working limits of the selected respirator.

Hygienic Practices: Wash hands before eating, smoking or using toilet facilities. Do not smoke in any

chemical handling and storage areas. Food or beverages should not be consumed near where this product is stored. Remove and wash contaminated clothing before reuse. Ensure that eyewash stations and safety showers are close to the workstation

location.

Section 9 – Physical and Chemical Properties

Appearance	Liquid
	Clear to Light Yellow
	Strong
	Not Established

SDS – 1353-4B Page 5 of 8

pH	Not Established
Melting Point/Freezing Point	Not Established
Boiling Point	Not Established
Flash Point	Not Established
Evaporation Rate	Not Established
Upper/Lower flammability or explosive limits	Not Established
Vapor Pressure	Not Established
Vapor Density	Not Established
Relative Density	
Specific Gravity	1.13
Bulk Density (lbs./gal)	9.41
Solubility	Not Established
Partition Coefficient; n-octanol/water	
Auto-ignition temperature	Not Established
Viscosity	
-	

Note: Physical data presented above are typical values and should not be construed as a specification.

Section 10 – Stability and Reactivity

10.1 Reactivity: No specific test data related to reactivity available for this product

or its ingredients.

10.2 Chemical Stability: The product is stable.

10.3 Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous reactions

will not occur.

10.4 Conditions to Avoid: No specific data.

10.5 Incompatible Materials: Highly reactive or incompatible with the following materials:

oxidizing materials and acids.

10.6 Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11 – Toxicological Information

11.1 Information on the likely routes of exposure:

No data available.

11.2 Symptoms related to the physical, chemical and toxicological characteristics:

Acute Toxicity: Not classified

Skin Corrosion/Irritation:Causes severe skin burnSerious Eye Damage/Irritation:Causes severe eye damage

Respiratory or Skin Sensitization:

Germ Cell Mutagenicity:

Carcinogenicity:

Reproductive Toxicity:

Specific Target Organ Toxicity (Single Exposure):

Specific Target Organ Toxicity (Repeated Exposure):

Aspiration Hazard:

Not classified

Not classified

Not classified

Not classified

Not classified

11.3 Delayed and immediate effects and also chronic effects from short and long term exposure:

SDS – 1353-4B Page 6 of 8

Short term exposure: Not Available **Long term exposure:** Not Available **Chronic effects:** Not Available

11.4 Numerical Measure of toxicity (Acute toxicity estimates)

Not Available

11.5 Carcinogenicity:

Not Available

Section 12 – Ecological Information

12.1 Ecotoxicity: Not Available

12.2 Persistence and Degradability: Not Available

12.3 Bioaccumulative Potential: Not Available

12.4 Mobility in Soil: Not Available

12.5 Other Adverse Effects: Not Available

Section 13 – Disposal Considerations

13.1 Information on waste and methods of disposal

Dispose of contents in accordance with all local, regional, national and international regulations.

Section 14 – Transportation Information

14.1 Transportation information

Land Transportation (DOT):

Proper Shipping Name: Amines, liquid, corrosive, n.o.s. (2,4,6-Tris(dimethylaminomethyl)phenol)

Hazard Class: 8

Identification Number: UN 2735 **Packing group:** III

Sea Transportation (IMDG):

Proper Shipping Name: Amines, liquid, corrosive, n.o.s. (2,4,6-Tris(dimethylaminomethyl)phenol)

Hazard Class: 8

Identification Number: UN 2735 **Packing group:** III

Air Transportation (IATA):

Proper Shipping Name: Amines, liquid, corrosive, n.o.s. (2,4,6-Tris(dimethylaminomethyl)phenol)

Hazard Class: 8

Identification Number: UN 2735
Packing group: III

14.2 Transportation in bulk according to Annex II of Marpol 73/78 and the IBC Code:

This product is not intended to be transported in bulk containers.

SDS – 1353-4B Page 7 of 8

14.3 Special precautions for transportation:

No data available

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations specific for the product in question.

This regulatory information is not intended to be comprehensive. Other regulations may apply to this material. To determine applicability or effects of any law or regulation with respect to the product, user should seek legal advice or consult with the appropriate government agency. GS Polymers, Inc. does not undertake to furnish advice on regulatory matters.

United States Federal Regulations:

US EPA CERCLA Hazardous Substances (40 CFR 302):

Not Evaluated

SARA Section 311/312 Hazard Categories:

Not Evaluated

US EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A):

Not Evaluated

US EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III

Section 313 Toxic Chemicals (40 CRF 372.65) – Supplier Notification Required:

None

State Right-To-Know Information:

For details of your regulatory requirements you should contact the appropriate agency in your state.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:

Not Evaluated

California Prop. 65: This product contains the chemicals listed below, which the State of California has found to cause cancer, birth defects or reproductive harm.

None

Section 16 – Other Information

16.1 Date of preparation or last revision:

Company: GS Polymers, Inc.

Rev Date: 10/26/2015

Rev By: BN

Reason for Change:

This revision updates SDS formatting according to OSHA Hazard Communications Standard (HCS) promulgated on March 20, 2012.

16.2 Additional information:

HMIS Ratings:

Health: 3 Flammability: 1 Physical Hazard: 0 SDS – 1353-4B Page 8 of 8

The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication as part of GS Polymers' product safety program. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.

To determine applicability or effects of any law or regulation with respect to the product, user should seek legal advice or consult with the appropriate government agency. GS Polymers, Inc. does not undertake to furnish advice on such matters.